

INDEX MAPS.

T. 8 N. R. 8 E. 2nd Mer.

	73		73		72		72		72		71		
75	6	95	5	91	4	88	3	84	2	81	1	71	
	95		95		91		87		84		81		
75	7	94	8	90	9	87	10	83	11	80	12	71	
	96		94		90		86		83		80		
74	18	94	17	90	16	86	15	83	14	80	13	70	
	96		93		90		86		82		79		
74	19	93	20	89	21	85	22	82	23	79	24	70	
	96		73		89		85		82	77	77		
74	30	92	29	88	28	85	27	81		26	76	25	69
	77		92		88		85	78		78		76	
74	31	91	32	88	33	78	34	77	35	76	36	69	
	69		68		79		67		67		67		

T. 9 N. R. 8 E. 2nd Mer.

	105		104		104		104		103		103	
107	6	127	5	121	4	118	3	114	2	110	1	103
	126		126		121		117		114		110	
106	7	126	8	121	9	117	10	113	11	110	12	102
	125		125		120		117		113		109	
106	18	125	17	120	16	116	15	113	14	109	13	102
	124		124		120		116		112		109	
106	19	124	20	119	21	116	22	112	23	108	24	101
	123		123		119		115		112		108	
105	30	123	29	119	28	115	27	111	26	108	25	101
	122		122		118		115		111		107	
105	31	122	32	118	33	114	34	111	35	107	36	100
	100		100		99		99		99		99	

Ⓒ The figures on the lines refer to the page.

Township N: 9 North, Range N: 8 East, 2^d Mer. Indiana ⁹⁹
ch: 11th

South Boundary

Met On S. boundary of Sec 36, T9 N. R8 E.
28.00 a Branch 5th. wide Course S.

40.00 Set q: Sec. post, from which
an Ash 20 in. dia: bray N 73 E 25th. dist. of
a Beech 6 " " " 60 W 16 " "

67.30 a Creek 7th. wide Course S.

80.00 Set post Cor. to Sec: 35 of 36, from which
an Ash 27 in. dia: bray N 78 W 37th. dist. of
a Beech 12 " " " 73 E 20 " "

2nd rate land, Beech, Poplar &c. undngth Spruce

Met On S. boundary of Sec. 35

40.00 Set q: Sec. post, from which
a Beech 15 in. dia: bray N 43 E 6th. dist. of
a Do. 20 " " " 13 E 14 " "

71.75 a Poplar 60 " "

80.00 Set post Cor. to Sec: 34 of 35, from which
a Sugar 12 in. dia: bray N 20 E 3th. dist. of
a Beech 27 " " " 41 W 33 " "

Good land, timber Beech, Poplar, Ash &c.
undngth Spruce 2nd rate land

Met On S. boundary of Sec. 34

7.00 a Branch 6th. wide Course S. W

27.90 a Do. 6 " " " S.

40.00 Set q: Sec. post, from which
a Spruce 24 in. dia: bray N 20 W 33th. dist. of
a Beech 24 " " " N 37 W 8 " "

80.00 Set post Cor. to Sec: 33 of 34, from which
a Beech 16 in. dia: bray N 64 W 20th. dist. of
a Do 12 " " " N 37 E 20 " "

Flat land, timber Ash, Beech, Poplar &c.
undngth Spruce &c.

Met On S. boundary of Sec. 33

T9N - R8E. 2^d Mer. Indianach^d. lth.16.40 a Branch 12 lth. wide Course S. E.

20.69 an Elm 40 m. dist.

40.00 Set of Sec. post, from which
a Beech 40 m. dist. bear N49 E 9 lth. dist. of
a l^o. 7 " " " N69 W 31 " "

67.58 an Elm 20 " "

80.00 Set post Cor. to Sec. 32 & 33, from which
a Beech 9 m. dist. bear N59 W 13 lth. dist. of
an Oak 10 " " " S34 E 25 " "
Flat wet land, timber Beech, Poplar, Ash, Elm,
yc. under ^{to} Spruce yc.

Met On S. boundary of Sec. 32

14.00 a Branch 10 lth. wide Course S.

15.80 a Beech 27 m. dist.

18.00 a Branch 6 lth. wide Course S.40.00 Set of Sec. post, from which
an Ash 16 m. dist. bear N25 W 20 lth. dist. of
a Poplar 6 " " " S30 E 38 " "

41.00 enter a Swamp

53.00 leave the Swamp

61.00 enter a Swamp

80.00 Set post Cor. to Sec. 31 & 32, from which
an Ash 6 m. dist. bear N86 W 4 lth. dist. of
a Maple 6 " " " South 10 " "
Sand flat & wet, timber Ash, Maple &c

Met On S. boundary of Sec. 31

12.00 leave the Swamp

33.50 an Oak 40 m. dist.

40.00 Set of Sec. post, from which
a Beech 24 m. dist. bear N61 W 17 lth. dist. of
a l^o. 14 " " " S76 E 11 " "

51.16 a W. Oak 50 " "

75.50 Intersected Township Corner.

Land timber yc. Same as above

T9 N R8 E. 2^d Mer. Indiana

101

ch. l. l. m.

East Boundary. var. 6.15. E.

North On E. boundary of Sec. 36, T9 N. R8 E.

10.50 a Branch 6 l. m. wide Course S. E

28.50 a Beech 24 m. dia.

40.00 let q. Sec. post, from which

a Beech 12 m. dia. bear N 21 W 3 l. m. dist. of

a Sugar 5 " " " S 21 E 25 " "

62.25 an Ash 24 " "

80.00 let post Cor. to Sec. 25 of 36 from which

a Sugar 14 m. dia. bear S 29 W 3 l. m. dist. of

a Beech 12 " " " S 75 E 9 " "

Level rich land, timber Sugar, Beech, Poplar,
Walnut &c. undugth Spruce & Sparrow

North On E. boundary of Sec. 25

7.00 a Beech 30 m. dia.

38.50 a Branch 6 l. m. wide Course W.

40.00 let q. Sec. post, from which

a Sugar 10 m. dia. bear N 64 E — l. m. dist. of

a Do. 8 " " " S 51 1/2 W 23 " "

50.00 a Branch 4 l. m. wide Course W

52.85 a Beech 18 m. dia.

78.00 a Branch 4 l. m. wide Course S. W.

80.00 let post Cor. to Sec. 24 & 25, from which

a Beech 12 m. dia. bear S 31 W 21 l. m. dist. of

a Do. 18 " " " N 78 E 16 " "

Level rich land, timber Beech, Poplar, Sugar, &c
undugth Spruce, parrow &c.

North On E. boundary of Sec. 24,

15.00 an Oak 18 m. dia.

27.00 a Branch 6 l. m. wide Course S. W.

37.14 a Poplar 54 m. dia.

40.00 let q. Sec. post, from which

a Beech 6 m. dia. bear N 55 E 11 l. m. dist. of

a Do. 8 " " " S 1 E 21 " "

102 T9 N R8 E 2^d Mer. Indiana

ch. 1/4

54.50 a Branch 20 lks. wide Course S. W.

63.48 a Do. 15 " " " S. W

65.50 a Beech 20 in. dia.

80.00 Let post Cor. to Sec. 13 & 24, from which
a Beech 8 in. dia. bray S 70° W 20 lks. dist. of

a Sugar 18 " " " N 70° W 20 " "

Rolling land rich soil, timber, Sugar, Beech
Poplar, Walnut &c. undugth Spruce, pampaw &c

North On E. boundary of Sec. 13

11.24 a Beech 18 in. dia.

24.50 a Branch 8 lks. wide S. W.

36.04 a Beech 20 in. dia.

40.00 Let of Sec. post, from which

a Beech 8 in. dia. bray N 78° W 10 lks. dist. of

a Do. 8 " " " N 9 E 24 " "

60.90 an Ash 24 " "

80.00 Let post Cor. to Sec. 12 & 13, from which

a Beech 10 in. dia. bray S 52° W 8 lks. dist. of

an Ash 18 " " " N 50° W 7 " "

Sand timber &c. Same as on the last mile

North On E. boundary of Sec. 12

1.08 a Sycamore 30 in. dia.

6.00 a Branch 10 lks. wide Course W.

19.90 a Beech 15 in. dia.

40.00 Let of Sec. post, from which

a Beech 4 in. dia. bray S 79° E 18 lks. dist. of

a Do. 6 " " " S 47° W 19 " "

55.00 a Branch 4 lks. wide Course W.

60.35 an Ash 24 in. dia.

80.00 Let post Cor. to Sec. 1 & 12, from which

an Ironwood 5 in. dia. bray S 30° W 11 lks. dist. of

a Beech 3 " " " N 66° E 30 " "

Level 2^d rate, timber Beech, B. Ash, Sugar &c
undugth Spruce, pampaw &c Soil good

ch. 4th

North On E. boundary of Sec. 1, T9 N. R8 E.

3.00 a Branch 4th. wide Course W.

29.20 a Locust 30 mi. dist.

38.00 a Branch 4th. wide Course S. W.40.00 Let q^r. Sec. post, from whicha Beech 15 mi. dist. bear N 6th W 19th Lth. dist. toa Do. 8 " " " S 36th E 17 " "70.88 Let post Cor. to Township 9 & 10 North, Ranges
8 & 9 East, from whicha Beech 20 mi. dist. bear N 57th E 9th Lth. dist. toa Do. 6 " " " S 11th E 11 " "

Level land, timber Beech, Anger, Poplar &c.

undergth. Spruce, pan-pang &c. good soilJune 12th. 1819

North Boundary

West On S. boundary of Sec. 36, T10 N. R8 E.

19.14 a Brook 5th. wide Course S. W.26.15 a Do. 5th. " " " N. E.40.00 Let q^r. Sec. post, from whicha Beech 14 mi. dist. bear N 85th W 14th Lth. dist. toa Do. 30 " " " S 43th E 29 " "

80.00 Let post Cor. to Sec. 35 & 36, T10 N. R8 E, from which

a Beech 20 mi. dist. bear S 27th W 7th Lth. dist. toa Do. 4 " " " N 30th E 8 " "Over good farming land, timber, Beech, Anger
Ash, undergth. Spruce &c.

West On S. boundary of Sec. 35, T10 N. R8 E

40.00 Let q^r. Sec. post, from whicha Beech 13 mi. dist. bear S 13th W 9th Lth. dist. toa Do. 20 " " " S 61th E 29 " "70.47 a Brook 6th. wide Course N.

76.15 a Do. 4 " " " " N.

80.00 Let post Cor. to Sec. 34 & 35, T10 N. R8 E, from which

a Beech 20 mi. dist. bear S 49th E 4th Lth. dist. to

T9 N. R8 E. 2nd Mer. Indiana

ch. 1st 1st

a Beech 6 in. dia. - beam N 10 E 21st 1st dist. of
Over good farming land, timber Beech, Sugar
Ash, undergth Spruce &c.

Nest On S. boundary of Sec. 34, T10 N. R8 E.

14.42 a Brook 15th 1st wide Course N.

40.00 Set of Sec. post, from which

a Beech 7 in. dia. - beam N 61 W 21st 1st dist. of

a Do. 7 " " " N 82 E 3 " "

80.00 Set post Cor. to Sec. 33 & 34, T10 N. R8 E, from which

a Beech 24 in. dia. - beam N 76 E 5th 1st dist. of

a Do. 8 " " " N 39 W 5 " "

Over good land rather level, timber Beech
Ash, Hickory &c. undergth Spruce &c.

Nest On S. boundary of Sec. 33, T10 N. R8 E.

40.00 Set of Sec. post, from which

a Beech 9 in. dia. - beam N 70 E 25th 1st dist. of

a Sugar 9 " " " N 67 W 17 " "

41.26 a Brook 3th 1st wide Course N.

80.00 Set post Cor. to Sec. 32 & 33, T10 N. R8 E, from which

a Lyncamore 50 in. dia. - beam N 81 E 23th 1st dist. of

a Hackberry 14 " " " N 55 W 16 " "

Over good farming land, timber Beech, Sugar
Ash &c. undergth Spruce.

Nest On S. boundary of Sec. 32, T10 N. R8 E.

17.00 a Creek 70th 1st wide Course S. W.

40.00 Set of Sec. post, from which

a Beech — in. dia. - beam N 27 W 13th 1st dist. of

a Sugar 30 " " " N 25 W 17 " "

80.00 Set post Cor. to Sec. 31 & 32, T10 N. R8 E, from which

a Beech 20 in. dia. - beam N 80 E 10th 1st dist. of

a Do. 15 " " " N 60 W 27 " "

Over good farming land, timber Beech, Ash
&c. undergth Spruce &c.

T9 N. R8 E. 2^d Mer. Indiana

- ch. lth
West On S. boundary of Sec. 31, T9 N. R8 E.
32.23 a Brook 3 lth. wide Course S.
35.83 a Creek 25 lth. " " S.W.
40.00 Let q. Sec. post, from which
a Beech 18 in. dia. bran N44 W 3 lth. dist. of
a Do. 12 " " " N52 E 20 " "
74.40 intersected N. boundary 450 lth. S. of the post
Let post Cor. to Township 9 of 10 North, Range
7 of 8 East, from which
an Elm 24 in. dia. bran N5 E 30 lth. dist. of
an Ash 12 " " " N21 W 24 " "
Over good farming land, timber Beech, Ash &c.
undergth. Spruce &c
-

West Boundary

- North On E. boundary of Sec. 36, T9 N. R7 E.
23.35 a Beech 15 in. dia.
40.00 Let q. Sec. post, from which
an Ash 12 in. dia. bran N68 W 10 lth. dist. of
a Beech 12 " " " N52 E 13 " "
52.98 an Elm 27 " "
79.20 a Creek 30 lth. wide Course S.W.
80.00 Let post Cor. to Sec. 25 of 36, T9 N. R7 E, from which
a Poplar 8 in. dia. bran N10 E 3 lth. dist. of
a Sycamore 42 " " " N41 W 16 " "
Over level ground, timber Beech &c. Soil good
undergth. Spruce &c
-

North On E. boundary of Sec. 25, T9 N. R7 E.

- 13.50 an Elm 20 in. dia.
17.10 a Creek 25 lth. wide Course S.W.
40.00 Let q. Sec. post, from which
a Beech 6 in. dia. bran N39 W 9 lth. dist. of
a Do. 12 " " " N68 1/2 E 21 " "
66.07 a Gum 24 " "
80.00 Let post Cor. to Sec. 24 of 25, T9 N. R7 E, from which

T9 N. R8 E. 2^d Mer. Indiana

ch 2th

a Beech 18 m. dist. - bear N 71 E 5 lns. dist. of
a do. 12 " " " N 51 W 30 " "
Over level land, timber Beech, Ash, Elm &c.
undergth. Spruce Soil good

North On E. boundary of Sec. 24, T9 N. R7 E.

20.40 a Beech 27 m. dist.

40.00 At q^r. Sec. post, from which
a Beech 4 m. dist. - bear N 15 1/2 E 7 lns. dist. of
a do. 9 " " " N 7 W 26 " "

63.45 a do. 36 " "

80.00 At post Cor. to Sec. 13 of 24, T9 N. R7 E, from which
a Beech 30 m. dist. - bear N 73 W 4 lns. dist. of
a do. 9 " " " N 83 E 27 " "
Over level ground, timber, Beech, Ash &c.
undergth. Spruce, Soil good

North On E. boundary of Sec. 13, T9 N. R7 E.

10.40 an Elm 30 m. dist.

40.00 At q^r. Sec. post, from which
a Beech 6 m. dist. - bear N 83 W 9 lns. dist. of
an Ash 14 " " " N 48 E 22 " "

70.65 a Poplar 54 " "

76.30 a Branch 8 lns. wide Course N.

80.00 At post, Cor. to Sec. 12 of 13, T9 N. R7 E, from which
a Poplar 27 m. dist. - bear N 63 W 17 lns. dist. of
a Red Oak 24 " " " N 71 E 27 " "
Over level land, timber Beech, Poplar &c.
undergth. Spruce, Soil good

North On E. boundary of Sec. 12, T9 N. R7 E.

39.00 a Creek 100 lns. wide Course N. & E.

40.00 At q^r. Sec. post, from which
a Willow 6 m. dist. - bear N 29 E 4 lns. dist. of
an Elm 5 " " " N 55 W 13 " "

52.52 a Beech 18 " "

T9 N R8 E. T^h. Mer. Indiana

107

ch^d. l^y.

80.00 At post Cor. to Sec. 1 & 12, T9 N. R7 E, from which
a Beech 15 in. dia. bear N 29 E 20 l^y. dist. of
a Do. 6 " " " — West 26 " .
Over rolling land, timber Beech, Oak &c
underg^d. Spruce, Soil good

North On E. boundary of Sec. 1, T9 N. R7 E.

1.40 a Creek 100 l^y. wide course S. W.

40.00 At q^r. Sec. post, from which
a Sugar 20 in. dia. bear S 86 W 12 l^y. dist. of
a Beech 6 " " " N 88 E 12 " .

49.50 an Elm 30 " "

75.50 Intersected the Township Corner as estab-
lished on the East & West line

June 11th. 1879

Surveyed By

John M. McDonald, M.S.

Subdivision. var. 6⁺ 45' E.

North Between Sec. 35 & 36, T9 N. R7 E

27.36 a Beech 18 in. dia.

40.00 At q^r. Sec. post, from which
a Beech 36 in. dia. bear N 36 E 27 l^y. dist. of
a Sugar 12 " " " S 30 W 28 " .

60.06 a Beech 15 " "

80.00 At post Cor. to Sec. 25, 26, 35 & 36, from which
a W. Ash 24 in. dia. bear S 10 W 20 l^y. dist. of
a Sugar 24 " " " S 24 W 24 " .
Level T^h. rate land, Beech, Ash, Sugar &c.
underg^d. Spruce &c

East On Rand^m. between Sec. 25 & 36

40.00 At temp^y. q^r. Sec. post

70.56 Crossed a branch 20 l^y. wide run S. W.

84.76 Intersected the E. boundary 292 l^y. S. of post
Rolling T^h. rate land, Beech, Oak, Ash,

Tpt. N E & E. 2^d. Mer. Indiana

ch. 1st

Poplar &c. undergth. Spruce

West Ont true line between Sec^s. 25 & 26

40.88 Let q^r. Sec. post at average dist. from which
a Beech 20 m. dist. by N 70° 41' 2" W 12 1/2 hrs. dist. of
an Ironwood 8 " " " N 75° E 14 " "
81.76 to Sec. Corner

North Between Sec^s. 25 & 26

22.27 a Beech 20 m. dist.

40.00 Let q^r. Sec. post, from which
a Beech 30 m. dist. by N 76° W 34 hrs. dist. of
a W. Ash 20 " " " East 34 " "

68.00 a W. Ash 20 " "

80.00 Let post Cor. to Sec^s. 23, 24, 25 & 26, from which
a Beech 15 m. dist. by S 89° E 18 hrs. dist. of
a W. 40 " " " N 37° E 24 " "
Level 2^d. rate land, Beech, Poplar, Ash, &c
undergth. Spruce.

East Ont Cand^m. between Sec^s. 24 & 25

40.00 Let temp^t. q^r. Sec. post

81.80 Intersected the E. boundary 304 hrs. S. of post
Level 2^d. rate land, Beech, Ash, Poplar, Sugar
&c. undergth. Spruce &c.

West Corrected between Sec^s. 24 & 25

40.90 Let q^r. Sec. post at average dist. from which
a Beech 20 m. dist. by N 25° W 24 hrs. dist. of
a W. 30 " " " S 80° E 37 " "

81.80 to Sec. Corner.

North Between Sec^s. 23 & 24

35.04 a Beech 18 m. dist.

40.00 Let q^r. Sec. post, from which
a Beech 15 m. dist. by S 83° E 17 hrs. dist. of

109

T9 N. N 8 E. 2nd Mer. Indiana

ch. 1st 1/2

a Beech 10 m. dist. from N 65 W 20 lks. dist. of
 68.00 a Do 30 " "
 80.00 Let post Cor. to Sec. 13, 14, 23 & 24, from which
 a Beech 10 m. dist. from N 25 E 16 lks. dist. of
 a Hickory 18 " " " West 7 " "
 Level 2nd rate land, Beech, Sugar, Hickory &c.
 undergth Spruce &c

East On Rand^m. between Sec. 13 & 24

40.00 Let temp. q. Sec. post
 81.69 Intersected the E. boundary 322 lks. S. of post
 Level 2nd rate land, Beech, Ash, Hickory
 Oak &c. undergth Spruce &c.

West Connected between Sec. 13 & 24

40.84 Let q. Sec. post at average dist. from which
 a Lym 36 m. dist. from N 65 W 15 lks. dist. of
 a Beech 12 " " " N 52 E 6 " "
 81.69 to Sec. Corner.

North Between Sec. 13 & 14

21.80 a Sugar 15 m. dist. from
 40.00 Let q. Sec. post, from which
 a Beech 8 m. dist. from N 63 W 4 lks. dist. of
 a Sugar 4 " " " N 52 E 11 " "
 72.15 a W. Ash 20 " "
 80.00 Let post Cor. to Sec. 11, 12, 13 & 14, from which
 a Beech 4 m. dist. from N 76 W 18 lks. dist. of
 a Do. 12 " " " N 66 E 31 " "
 Level 2nd rate land, Beech, Sugar, Ash &c.

East On Rand^m. between Sec. 12 & 13

40.00 Let temp. q. Sec. post
 81.81 Intersected the E. boundary 380 lks. S. of post
 level 2nd rate land, timber Beech, Sugar, Ash &c.
 undergth Spruce &c

Sgt. R. E. D. Mer. Indiana

ch. l. l. l.

West Connected between Sec. 12 & 13

40.90 Set of Sec. post at average dist. from which
 a Sugar 12 in. dia. bear West 36 in. dist. of
 a Beech 8 " " " East 4 " "

81.81 to Sec. Corner.

North Between Sec. 11 & 12

20.40 a Walnut 36 in. dia.

40.00 Set of Sec. post, from which
 a W. Oak 36 in. dia. bear N 36 E 11 in. dist. of
 a Beech 24 " " " N 25 W 27 " "

80.00 Set post On. to Sec. 1, 2, 11 & 12, from which
 a Beech 12 in. dia. bear N 35 W 10 in. dist. of
 a W. Oak 12 " " " South 12 " "
 Level 2nd rate land Beech, Oak, Ash &c.
 undergth Spruce &c

East On Road^m Between Sec. 1 & 12

40.00 Set of Sec. post

81.76 Intersected E. boundary 320 in. S. of post
 Level 2nd rate land, Beech, Ash, Oak, Sugar
 &c. undergth Spruce &c.

West Connected between Sec. 1 & 12

40.88 Set of Sec. post at average dist. from which
 a Beech 15 in. dia. bear S 32 W 12 in. dist. of
 a Do. 20 " " " N 65 E 30 " "

81.76 to Sec. Corner.

North Between Sec. 1 & 2

25.00 a Beech 30 in. dia.

40.00 Set of Sec. post, from which
 a Beech 8 in. dia. bear S 80 E 30 in. dist. of
 a Do. 36 " " " West 1 link "

68.05 a Beech 36 " "

73.00 Intersected the N. boundary 214 in. N. of post

111

Sgt. R & E. 2^d. Mer. Indiana
ch. l^y
At post Cor. to Sec. 1 & 2, from which
a Beech 24 in. dia. bray N 88 E 21 l^y. dist. of
a Sugar 18 " " " N 76 W 32 " "
Level 2^d. rate land, Beech, Sugar, Ash, Oak &c.
undergth. Spruce &c.

North Between Sec. 34 & 35
36.00 a Cherry 20 in. dia.
40.00 At q^r. Sec. post, from which
a W. Ash 10 in. dia. bray N 65 E 25 l^y. dist. of
a Sugar 12 " " " N 85 W 17 " "
54.75 a W. Ash 20 " "
80.00 At post Cor. to Sec. 26 & 27, 34 & 35, from which
a W. Ash 12 in. dia. bray S 31 W 17 l^y. dist. of
a Do. 18 " " " N 60 E 16 " "
Level 2^d. rate land, Beech, Ash, Sugar &c.
undergth. Spruce &c.

East On Rand^m. between Sec. 26 & 35
40.00 At temp^y. of Sec. post
79.64 Intersected, the N & S. line 40 l^y. S. of post
Level 2^d. rate land, Beech, Sugar, Poplar &c.
undergth. Spruce &c.

West Connected between Sec. 26 & 35
39.82 Set of Sec. post at average dist. from which
a Poplar 60 in. dia. bray S 55 W 17 l^y. dist. of
a Beech 15 " " " S 72 E 33 " "
79.64 to Sec. Corner

North Between Sec. 26 & 27
25.80 a W. Oak 24 in. dia.
40.00 At q^r. Section post, from which
a Beech 18 in. dia. bray N 3 E 16 l^y. dist. of
a Do. 18 " " " N 70 W 21 " "
63.65 a Poplar 60 " "

T⁹N R8E T² Mer. Indianach².lb₉

80.00 Set post Cor. to Sec^s. 22, 23, 26 & 27, from which
 a W. Ash 24 in. dia. bears N10 E 25 lb. dist. of
 a B. Ash 12 " " " N72 W 22 " "
 Level 2nd rate land, Beech, Ash, Sugar,
 Poplar, undr^gth Spruce &c.

East On Rand^m between Sec^s. 23 & 2640.00 Set temp^y of Sec. post

79.74 Intersected the N & S line at the post
 Level 2nd rate land, Beech, Oak, Ash &c.
 undr^gth Spruce &c.

West Corrected between Sec^s. 23 & 26

39.87 Set of Sec. post at average dist. from which
 a Beech 20 in. dia. bears N4 E 32 lb. dist. of
 a Do. 12 " " " N35 W 16 " "

79.74 to Sec. Corner.

North Between Sec^s. 22 & 23

26.05 a Beech 12 in. dia.

40.00 Set of Sec. post, from which
 a Hickory 6 in. dia. bears N58 E 16 lb. dist. of
 a Beech 18 " " " N24 W 32 " "

68.60 a W. Elm 20 " "

80.00 Set post Cor. to Sec^s. 14, 15, 22 & 23, from which
 a Beech 24 in. dia. bears N50 E 18 lb. dist. of
 a Do. 8 " " " S50 W 6 " "
 Level 2nd rate land, Beech, Ash, Elm, Hickory
 undr^gth Spruce &c.

East On Rand^m between Sec^s. 14 & 2340.00 Set temp^y of Sec. post

79.80 Intersected the N & S line 12 lb. N. of post
 Level 2nd rate land, Beech, Ash, Sugar, Poplar &c.
 undr^gth Spruce &c.

T9. N. 178 E. 2nd. Mer. Indiana

113

ch^l l^y
West

Corrected Between Sec. 14 & 23
39.90 Set of Sec. post at average dist. from which
a Beech 10 in. dia. - bray N 30 W 6 l^y. dist. of
a Do. 15 " " " N 65 E 16 " "
79.80 to Sec. Corner.

North Between Sec. 14 & 15

30.16 a W. Ash 30 in. dia.
40.00 Set of Sec. post, from which
a Beech 12 in. dia. - bray N 40 W 3 l^y. dist. of
a Do 6 " " " N 88 E 18 " "
60.18 a Sugar 12 " "
80.00 Set post cor. to Sec. 10, 11, 14 & 15, from which
a Beech 18 in. dia. - bray N 73 E 23 l^y. dist. of
a Do. 18 " " " N 10 W 9 " "
Level 2nd rate land, Beech, Ash, Sugar, Oak
&c. undugth Spruce &c.

East On Rand^m. between Sec. 11 & 14

40.00 Set temp^y. of Sec. post
79.50 Intersected the N & S. line 42 l^y. S. of post
Level 2nd rate land, Beech, Ash, Hickory
Oak &c. undugth Spruce

West Corrected between Sec. 11 & 14

39.70 Set of Sec. post at average dist. from which
a Beech 12 in. dia. - bray N 34 W 16 l^y. dist. of
a Do. 15 " " " N 87 E 24 " "
79.50 to Sec. Corner.

North Between Sec. 10 & 11

33.80 a Black Ash 15 in. diam.
40.00 Set of Sec. post, from which
a Beech 24 in. dia. - bray N 10 W 27 l^y. dist. of
a Do. 36 " " " N 43 E 26 " "
63.77 a W. Oak 36 " "

Sgt. P & E. I. Mer. Indiana

ch. l. h.

80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which
a Poplar 48 mi. dist. by way N 68° W 6 mi. dist. of
at Beech 30 " " " N 45° E 32 " "
Level 2nd rate land, Beech, Poplar, Ash, Oak
fe. undugth. Spruce &c

East On Rand^m. between Sec. 2 & 1140.00 Set temp^y. q^r. Sec. post

79.80 Intersected the N & S. line 32 mi. S. of post
Rolling 2nd rate land, Beech, Ash, Sugar &c.
undugth. Spruce &c.

West Cor. between Sec. 2 & 11

39.90 Set q^r. Sec. post at average dist. from which
a Beech 20 mi. dist. by way N 25° W 7 mi. dist. of
a do. 6 " " " S 30° W 14 " "

79.80 to Sec. Corner

North Between Sec. 2 & 3

30.04 a Sugar 18 mi. dist.

40.00 Set q^r. Sec. post, from which
a W. Ash 36 mi. dist. by way South 9 mi. dist. of
a do. 18 " " " S 70° W 12 " "

63.20 a Beech 36 " "

74.00 Intersected the N. Boundary 279th W. of post
Set post Cor. to Sec. 2 & 3, from which
a Beech 8 mi. dist. by way N 83° E 9 mi. dist. of
a Sugar 8 " " " S 60° W 6 " "
Level 2nd rate land, Beech, Sugar, Ash, Poplar &c
undugth. Spruce &c

North Between Sec. 33 & 34

20.50 a Beech 20 mi. dist.

40.00 Set q^r. Sec. post, from which
a W. Ash 30 mi. dist. by way S 32° W 19 mi. dist. of
a do. 30 " " " S 26° E 14 " "

Sgt. R. E. D. Mer. Indiana 115

ch. 1/4

72.77 a Beech 12 mi. dist.

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which
a Beech 18 mi. dist. bearing S 11 W 15 mi. dist. of
a Do. 12 " " " North 14 " "
Level 2nd rate land Beech, Ash, Poplar &c.
undergth Spruce &c.

East On Land^m between Sec. 27 & 34

40.00 Set temp^y. q^r. Sec. post

80.00 Intersected the N & S. line 156 mi. S. of post
Level 2nd rate land Beech, Sugar, Ash, Elm &c.
undergth Spruce &c.

West Connected between Sec. 27 & 34

40.00 Set q^r. Sec. post, from which

a Sugar 14 mi. dist. bearing S 80 W 25 mi. dist. of
a Beech 24 " " " S 85 E 24 " "

80.00 to Sec. Corner

North Between Sec. 27 & 28

23.35 a B. Ash 10 mi. dist.

40.00 Set q^r. Sec. post, from which

a Poplar 12 mi. dist. bearing N 80 E 18 mi. dist. of
a Do. 15 " " " N 75 W 32 " "

56.00 a Poplar 50

80.00 Set post Cor. to Sec. 21, 22, 27 & 28 from which
a Beech 36 mi. dist. bearing S 56 W 25 mi. dist. of
a Do. 20 " " " S 28 E 20 " "
Flat wet Land, Beech, Oak, Maple &c. undergth Spruce

East On Land^m between Sec. 22 & 27

40.00 Set temp^y. q^r. Sec. post

79.60 Intersected the N & S. line 150 mi. S. of post
Level 2nd rate land, Beech, Ash, Sugar, Poplar
&c. undergth Spruce &c.

Sg. N. W. E. 2^d. Mer. Indianach. 1st 1/2

West Connected between Sec. 1, 22 & 27

39.80 Set q^r. Sec. post at average dist. from which
 a Hornbeam 6 in. dia. - bray N 21 1/2 E 1/2 S. dist. of
 a Do. 4 " " " N 64 E 1/2 " "

79.60 to Sec. Corner

North Between Sec. 1, 21 & 22

25.40 a Walnut 36 in. dia.

40.00 Set q^r. Sec. post, from which
 a Beech 32 in. dia. - bray N 22 E 1/2 S. dist. of
 a Do. 36 " " " S 30 W 28 " "

72.72 a Sugar 15 " "

80.00 Set post Cor. to Sec. 1, 15, 16, 21 & 22, from which
 a B. Ash 24 in. dia. - bray N 21 1/2 W 18 1/2 E. dist. of
 a Beech 15 " " " S 50 W 13 " "
 Level 2^d. rate land, Beech, Ash, Sugar, Oak
 Poplar &c. undergth Spruce

East On Rand^m. between Sec. 1, 15 & 2240.00 Set temp^y. q^r. Sec. post

79.90 Intersected the N of S. line 96 ch. S. of post
 Level 2^d. rate land, Beech, Oak, Ash, Sugar
 &c. undergth Spruce &c.

West Connected between Sec. 1, 15 & 22

39.95 Set q^r. Sec. post at average dist. from which
 a Sugar 20 in. dia. - bray N 68 E 1/2 S. dist. of
 a Beech 12 " " " S 79 W 12 " "

79.90 to Sec. Corner

North Between Sec. 1, 15 & 16

25.75 a Beech 20 in. dia.

40.50 Set q^r. Sec. post, from which
 a Beech 32 in. dia. - bray S 30 W 18 ch. dist. of
 a Do. 6 " " " S 50 E 1/2 " "

66.50 a W. Ash 24 " "

117

Tgt N 8 E. 2^d Mer. Indiana
ch. 2th
80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
a Beech 24 m. dist. by 160 E 19 lns. dist. &
a do. 12 " " " N 26 W 11 " "
Level 2^d rate land, Beech, Ash, Sugar, Oak,
Hickory &c. undergth Spruce.

East On Rand^m. between Sec. 10 & 15
40.00 Set temp^y. q^r. Sec. post
80.10 Intersected the N & S. line 92 lns. S. of post
Level 2^d rate land, Beech, Sugar, Ash, Oak
Poplar &c.

West Connected between Sec. 10 & 15
40.05 Set q^r. Sec. post at average dist. from which
a Beech 15 m. dist. by 140 E 4 lns. dist. &
a do. 10 " " " N 22 W 17 " "
80.10 to Sec. Corner

North Between Sec. 9 & 10
23.80 a W. Elm 30 m. dist.
40.00 Set q^r. Sec. post, from which
a W. Ash 36 m. dist. by 125 N 25 lns. dist. &
a Sugar 12 " " " N 11 E 22 " "
66.78 a do. 28 " "
80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
a Beech 15 m. dist. by 183 N 16 lns. dist. &
a do. 24 " " " North 2 " "
Broken 2^d rate land, Beech, Sugar, Ash,
Oak &c. undergth Spruce.

East On Rand^m. between Sec. 3 & 10
40.00 Set temp^y. q^r. Sec. post
79.86 Intersected the N & S. line, 123 lns. S. of post
Broken 3^d rate land, Beech, Ash, Hick^y. &c.
undergth Spruce, Dogwood &c

T9 N 128 E. 2^d Mer. Indianach² lthWest Corrected between Sec^s. 3 & 10

39.93 At q^r. Sec. post, at average dist. from which
 a W. Oak 36 in. dia. bears N 22 W 33 lth. dist
 a Beech 12 " " " South 8 " "

79.68 to Sec. Corner.

North Between Sec^s. 3 & 4

21.05 a Beech 18 in. dia.

40.00 At q^r. Sec. post, from which
 a Beech 30 in. dia. bears N 37 E 20 lth. dist. of
 a W. Oak 24 " " " N 54 W 27 " "

73.75 Intersected the N boundary 65 lth. N. of post
 At post Cor. to Sec^s. 3 & 4, from which
 a Beech 36 in. dia. bears N 28 W 13 lth. dist. of
 a do. 12 " " " N 60 E 17 " "
 Rolling 2^d rate land, Beech, Oak, Ash, Sugar
 &c. undngth. Spruce &c.

North Between Sec^s. 32 & 33

22.30 a Gum 15 in. dia.

40.00 At q^r. Sec. post, from which
 a Beech 12 in. dia. bears N 54 E 5 lth. dist. of
 a do. 6 " " " N 88 W 3 " "

61.08 a Hickory 18 " "

80.00 At post Cor. to Sec^s. 28, 29, 32 & 33, from, which
 a Beech 36 in. dia. bears N 45 W 33 lth. dist. of
 no other. Flat wet land, timber
 Beech, Gum, Oak, Hickory &c. undngth. Spruce

East On Rand^m. between Sec^s. 28 & 3340.00 At temp^y. q^r. Sec. post

79.50 Intersected the N & S. line 146 lth. S. of post
 Land level 2^d rate Beech, Oak, Ash &c.
 undngth. Spruce &c.

West Corrected Between Sec^s. 28 & 33

120) Sgt. R. E. D. Mer. Indiana

ch. l. l.

a Beech 24 m. dist. from St 80 W 32 l. h. dist. of
Level 2nd rate land, Beech, Oak, Oak &c,
underg^m. Spruce &c.

East On Rand^m. between Sec. 16 & 21

40.00 Set temp^l. of Sec. post

79.28 Intersected the N & S. line 190 l. h. S. of post
Level 2nd rate land, Beech, Oak, Oak,
Poplar &c. underg^m. Spruce

West Connected between Sec. 16 & 21

39.64 Set of Sec. post at average dist. from which
a Beech 20 m. dist. from St 50 W 12 l. h. dist. of
a Do. 24 " " " St 36 E 24 " "

79.28 to Sec. Corner.

North Between Sec. 16 & 17

20.04 a Beech 18 m. diam.

40.00 Set of Sec. post, from which

a Beech 15 m. dist. from St 43 W 26 l. h. dist. of
a Do. 12 " " " St 34 E 18 " "

69.62 a Beech 15 " "

80.00 Set post Cor. to Sec. 8, 9, 16 & 17 from which

a Beech 18 m. dist. from St 44 W 12 l. h. dist. of
a W. Elm 12 " " " St 58 E 38 " "

Level 2nd rate land, Beech, Oak, Oak, Poplar
&c. underg^m. Spruce

East On Rand^m. between Sec. 9 & 16

40.00 Set temp^l. of Sec. post

79.86 Intersected the N & S. line 176 l. h. S. of post
Level 2nd rate land, Beech, Oak, Anger, Oak &c,
underg^m. Spruce &c

West Connected between Sec. 9 & 16

39.93 Set of Sec. post at average dist. from which

Sq. N. R 8 E. 2nd Mer. Indiana 121

ch. lth
a Beech 18 mi. dia. bray N 88 E 24 lth. dist. of
a do. 8 " " " N 87 W 5 " "
79.86 to Sec. Corner

North Between Sec. 8 & 9

18.50 a Beech 18 mi. dia.
40.00 Set q. Sec. post, from which
a Beech 36 mi. dia. bray N 18 E 21 lth. dist. of
a do. 12 " " " N 16 E 16 " "
54.00 a Branch running N.W.
80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
a Sugar 8 mi. dia. bray N 45 W 8 lth. dist. of
a Beech 36 " " " N 86 E 25 " "
Hilly 2nd rate land, Beech, Oak, Sugar, Poplar
&c. undngth Spruce

East On Rand^m. between Sec. 4 & 9

40.00 Set temp^y. q. Sec. post
79.94 Intersected the N & S line 180 lth. S. of post
Hilly 3rd rate land, Beech, Oak, Hickory &c.
undngth Dogwood, Spruce &c.

West Connected between Sec. 4 & 9

39.97 Set q. Sec. post at average dist. from which
a Beech 12 mi. dia. bray N 77 W 16 lth. dist. of
a do. 15 " " " N 70 E 18 " "
79.94 to Sec. Corner.

North Between Sec. 4 & 5

15.04 a W. Oak 60 mi. dia.
40.00 Set q. Sec. post, from which
a Beech 18 mi. dia. bray N 61 E 12 lth. dist. of
a do. 8 " " " South 30 " "
64.24 a do 18 " "
73.84 Intersected, N. boundary 112 lth. E. of post
Set post Cor. to Sec. 4 & 5, from which

122

S 9 N. N 8 E. 2nd Mer. Indiana
ch. lth.

a W. Ash 6 mi. dist. bear S 85 W 6 lth. dist. of
a Sugar 12 " " " S 40 E 16 " "
Hilly 2nd rate land, Beech, Ash, Sugar &c.
underg^g. Spruce &c.

North Between Sec. 31 & 32

18.17 a W. Elm 15 mi. dist.

31.00 enter a Swamp

40.00 Let gr. Sec. post, from which
a Willow 8 mi. dist. bear S 80 W 15 lth. dist. of
a do. 15 " " " East 19 " "

60.41 a W. Ash 24 " "

62.00 leave the Swamp

80.00 Let post Cor. to Sec. 29, 30, 31 & 32, from which
a B. Ash 12 mi. dist. bear N 68 E 5 lth. dist. of
a W. Ash 24 " " " S 68 W 4 " "
Swampy flat land, Ash, Beech, Willow &c

East On Rand^m. between Sec. 29 & 32

40.00 Let temp^y. gr. Sec. post

79.50 Intersected the N & S. line 130 lth. S. of post
Flat wet land, Beech, Ash, Maple &c.

West Connected between Sec. 29 & 32

39.75 Let gr. Sec. post at average dist. from which
a Beech 18 mi. dist. bear N 46 E 18 lth. dist. of
a do. 40 " " " S 88 W 24 " "

79.50 to Sec. Corner.

West Between Sec. 30 & 31

20.00 a W. Elm 15 mi. dist.

40.00 Let gr. Sec. post, from which
a Sugar 12 mi. dist. bear S 26 E 12 lth. dist. of
a Beech 12 " " " N 77 E 10 " "

60.40 a do. 18 " "

75.59 intersected W. boundary 175 lth. N. of post

Sgt. R. E. D. Mer. Indiana 123
ch. l. l. m.

Set post Cor. to Sec. 30 & 31, from which
a W. Elm 15 mi. dist. from, 180 E 18 l. m. dist. of
a Beech 24 " " " N 10 W 16 " "
Flat wetland, Beech, W. Elm, Oak &c.
underg^g. Spruce

North Between Sec. 29 & 30

25.90 a W. Elm 18 mi. dist.

40.00 Set q. Sec. post, from which
a Beech 24 mi. dist. from, South 17 l. m. dist. of
a Do. 15 " " " N 30 W 22 " "

60.78 a Beech 18 " "

80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which
a W. Elm 20 mi. dist. from, N 32 E 18 l. m. dist. of
a Beech 8 " " " North 12 " "
Level wet 3^d. rate land, Beech, Elm, Ash &c.
underg^g. Spruce, Beech &c.

East On Rand. m. between Sec. 20 & 29

40.00 Set temp. q. Sec. post

79.34 Intersected the N of S. line 138 l. m. S. of post
Shily 3^d. rate land, Beech, Hickory, Oak &c.
underg^g. Dogwood, Spruce &c.

West Cor. to Sec. 20 & 29

39.67 Set q. Sec. post at average dist. from which
a Beech 40 mi. dist. from, 146 E 25 l. m. dist. of
a Do. 10 " " " N 80 W 30 " "

79.34 to Sec. Corner.

West Between Sec. 19 & 30

29.84 a Hickory 18 mi. dist.

40.00 Set q. Sec. post, from which
a Beech 18 mi. dist. from, N 53 E 8 l. m. dist. of
a Hickory 13 " " " N 80 W 9 " "

59.65 a W. Elm 48 " "

T9 N R8 E. 2nd Mer. Indiana

ch^l 75.31 Intersected N. boundary 224 lns. North of post (no post set for Corner to Sec. 19 of 20, nor bearings taken) Flat wet land Beech, Hickory, Elm &c. undngth Beech, Spruce

North / Between Sec. 19 & 20

26.82 a W. Ash 24 in. dia.

40.00 Set q. Sec. post, from which
a W. Ash 20 in. dia. bray S 72° W 22 lns. dist. &
a Beech 18 " " " S 30° E 9 " "

69.00 a Do 18 " "

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
a Beech 20 in. dia. bray S 79° W 33 lns. dist. &
a Do. 12 " " " N 80° E 23 " "
Rolling 3rd rate land Beech, Oak, Ash &c.
undngth Spruce, Dogwood &c.

East On / Cand. between Sec. 17 & 20

40.00 Set temp^y q. Sec. post

79.22 Intersected the St & S. line 108 lns. S. of post
Level 2nd rate land, Beech, Oak, Sugar, Oak
&c. undngth Spruce &c.

West Connected between Sec. 17 & 20

39.61 Set q. Sec. post at average dist. from which
a Sugar 6 in. dia. bray N 78° E 5 lns. dist. &
a Beech 12 " " " S 87° W 17 " "

79.22 to Sec. Corner.

West Between Sec. 18 & 19

18.00 a Beech 36 in. dia.

40.00 Set q. Sec. post, from which
a Beech 12 in. dia. bray S 47° E 11 lns. dist. &
a Do. 30 " " " N 30° E 26 " "

75.72 Intersected N. boundary 275 lns. N. of post
Set post Cor. to Sec. 18 & 19, from which

125

Sgt. N. & E. D. Mer, Indiana
ch. l. l. l.
a Beech 15 in. dia. bray N 45 E 7 l. l. l. dist. of
a Do. 12 " " " N 48 E 6 " "
Rolling 3rd rate Beech land

North Between Dec. 17 & 18

19.25 a Beech 30 in. dia.

40.00 Let q. Sec. post, from which

a Beech 24 in. dia. bray N 54 W 16 l. l. l. dist. of

a Do. 12 " " " N 12 E 38 " "

69.00 a Poplar 60 " "

80.00 Let post Cor. to Sec. 7, 8, 17 & 18, from which

a Beech 20 in. dia. bray N 23 E 26 l. l. l. dist. of

a W. Elm 15 " " " N 69 W 18 " "

Rolling 2nd rate land, Beech, Ash, Elm, Poplar
fc. undergth Spruce

East On Rand^m. between Dec. 8 & 17

40.00 Let temp. q. Sec. post

79.50 Intersected the N & S. line 96 l. l. l. S. of post

Level 2nd rate land, Beech, Sugar, Poplar, Oak
fc. undergth Spruce &c.

West Connected between Dec. 8 & 17

39.75 Let q. Sec. post at average dist. from which

a Bur Oak 60 in. dia. bray N 66 W 26 l. l. l. dist. of

a Sugar 12 " " " N 72 E 17 " "

79.50 to Sec. Corner

West Between Dec. 7 & 18

23.56 a W. Elm 18 in. dia.

40.00 Let q. Sec. post, from which

a Beech 30 in. dia. bray N 45 E 35 l. l. l. dist. of

a Do. 15 " " " N 39 W 9 l. l. l. " "

55.70 a Do 20 " "

75.60 Intersected W. boundary 380 l. l. l. N. of post
Let post Cor. to Dec. 7 & 18, from which

Sgt. R. E. 2^d Mer. Indiana

ch. l. h.

a Beech 24 mi. dist. bray N 45 E 16 l. dist. of
a Do. 12 " " " N 37 W 10 " "
Rolling 3^d rate Beech land

North Between Sec. 7 & 8

15.08 a Sugar 12 mi. dist.

40.00 Set of Sec. post, from which

a Beech 10 mi. dist. bray N 45 W 27 l. dist. of

a R. Elm 15 " " " N 45 E 4 " "

60.20 a Sycamore 20 " "

62.10 a Branch 20 l. wide Course West

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which

a Beech 12 mi. dist. bray S 22 W 19 l. dist. of

a Sugar 20 " " " N 42 E 4 " "

Rolling 2^d rate land, Beech, Sugar, Ash
Elm &c. undergth Spice

East On Rand^m. between Sec. 5 & 8

40.00 Set temp^y. of Sec. post

79.80 Intersected the N & S line 100 l. S. of post

Rolling 2^d rate land, Beech, Oak, Elm, Oak,
Sugar &c. undergth Spice

West Corrected between Sec. 5 & 8

39.90 Set of Sec. post at average dist. from which

a Beech 15 mi. dist. bray West 30 l. dist. of

a R. Elm 20 " " " N 70 E 19 " "

79.80 to Sec. Corner.

West Between Sec. 6 & 7

20.20 a Beech 20 mi. dist.

40.00 Set of Sec. post, from which

a Beech 12 mi. dist. bray N 6 W 10 l. dist. of

a Do. 15 " " " N 15 W 15 " "

43.20 a Branch 30 l. wide run N. W.

59.08 a Beech 12 mi. dist.

127

Township N. 8 E. 2. Mer. Indiana

ch. 1/2
76.00 Intersected N. boundary of Sec. 430 hrs. N. of
post, Set post Cor. to Sec. 5 of 6, from which
a Beech 30 mi. dist. bears South Wink dist. of
a Do. 6 " " " N 5 E 12 hrs. "
Broken 2^d rate land, Beech, Sugar, Ash &c.
undergth Spruce.

North Between Sec. 5 of 6
24.40 a Beech 18 mi. dist.
40.00 Set q^r. Sec. post, from which
a Sugar 8 mi. dist. bears N 12 W 37 hrs. dist. of
a Beech 18 " " " N 15 W 22 " "
57.70 a W. Ash 36 " "
72.30 Intersected N. boundary of Town, 290 hrs. E. of
post, Set post Cor. to Sec. 5 of 6, from which
a Beech 16 mi. dist. bears N 7 W 20 hrs. dist. of
a Do. 40 " " " N 55 W 11 " "
Broken 2^d rate land, Beech, Ash, Sugar
Oak &c. undergth Spruce. Nov. 28th 1819
Reuben F. Morris
Deputy Surveyor

Comp.

I certify that the foregoing transcript of field notes
of Township N. 8 E. 2, Range N. 8 E. 2, Meridian
Indiana, has been compared with the original
notes in this Office, & found to be correct.
Surveyor General's Office
Cincinnati, Sept. 27th 1847
William Johnston
Sur. Genl.